


P-touch[®]
ELECTRONIC LABELING SYSTEMS

PT-P700

PC-Connectable Label Maker for PC and Mac



Plug & Label
simple connectivity

Easy to Use and Share
No software installation required

brother
at your side

The built-in software combines powerful functionality with ease of use.

The PT-P700 is an easy-to-use, full-featured label maker. It's perfect for multi-user offices looking for simple connectivity and the ability to quickly create a wide variety of professional labels using a computer. Although it's great for individual label printing, it's particularly well-suited to multi-label printing, thanks to its fast print speeds, "repeat printing" capability, and an automatic cutter. And since no software or driver installation is required, it's great for sharing, or in restrictive IT environments.



Create labels for a variety of applications...

Label to *Organize & Identify...*



Label to *Look Professional...*



Label to *Protect Your Assets...*



Customize labels with fonts and logos from your PC or Mac.

Simple Connectivity

The PT-P700 includes pre-loaded labeling software that allows you to simply plug into a PC or Mac computer and almost immediately begin designing and printing labels. Enjoy the convenience of designing labels on your computer screen.

Expanded Design Options

Although it's not necessary to install software to create great-looking labels, you can expand the capabilities of the PT-P700 by using the included P-touch Editor Label Design Software[▼]. Enjoy the added functionality of printing barcodes and labels with information stored in a Excel[®] or Access[®] database[▲].

Great for Sharing

The PT-P700 works with an array of operating systems, so it can be shared with ease within an office. And since the software is built-in, you don't have to worry about any drivers or software being left behind after its been disconnected.

Flexible Power Source

Use the included AC cable to power the unit for use at a desk, or make it truly portable by running it on 6 AA batteries (not included).



Key Features at a Glance:

- No software or driver installation required - just connect the included USB cable to get started
- Create durable labels up to 24mm wide (approximately 1") for indoor or outdoor use
- Customize labels using fonts and graphics on your computer
- Super-fast print speeds and auto cutting help support efficient labeling
- The included label design software supports expanded features such as linking to a database[▲] and barcode printing[▼]
- Download templates from the Brother Cloud to add to your P-touch Editor label library[‡]◆
- Powered by AC adapter (included) or 6 x AA batteries (sold separately)
- 2-year limited warranty and free phone support



Hardware Features:

Maximum Tape Width	24mm
Tape Cutter	Automatic
Maximum Print Speed	20mm/sec. (using batteries) 30mm/sec. (using including AC power adapter)
Maximum Print Resolution	180 dpi
Maximum Print Height	18.1mm
Power Source	AC power adapter (included) 6 x AA batteries (optional)
Interface	USB

Carton Contents:

PT-P700 Label Printer
Black on White Standard Laminated TZe Starter Tape 0.94" (24mm) x 13.1' (4m)
AC Power Adapter
USB Cable
P-touch Editor Label Design Software/Drivers for Windows (CD-ROM)
P-touch Editor Label Design Software/Drivers for Mac (Download)
Quick Set-up Guide

Accessories:

AD-E001	AC Power Adapter (included)
---------	-----------------------------

See next page for a detailed list of compatible tapes. *

† Using Full Version of P-touch Editor
 ‡ Using P-touch Editor Lite
 † Windows® only
 ‡ Internet connection required.
 * Additional purchase required.
 Labels are for illustrative purposes. Actual output (such as font and margins) may vary.

Software Features:

Built-in Software	P-touch Editor Lite (Windows/Mac)
Number of Fonts	Uses all fonts on your computer
Number of Font Styles	Uses all fonts on your computer
Number of Font Sizes	Scalable
Maximum Print Lines	Variable
Number of Symbols	Uses all symbols on your computer
Number of Frames	10 ⁰ / 126 ⁺
Auto Numbering	1-200, A-Z, a-z ⁰ / 1-5000, A-Z, a-z ⁺
Repeat Printing	Up to 200 copies ⁰ / up to 5000 copies ⁺
Vertical Printing	Yes
Mirror Printing	Yes
Auto Formats	12 categories (or more) ⁺
Download Templates from the Cloud into P-touch Editor	Yes [†]
Supports Database Printing	Yes [†]
Supports Barcode Printing	Yes [†]
Operating Systems Compatibility	Windows®8, Windows®7, Windows Vista® Mac® v10.6.8 - 10.8.x



About Our Tapes:

Tapes for most any application*

Choose from a wide variety of TZe tapes - use Standard Laminated Tapes for general workplace labeling, or use one of many specialty tapes for identifying wires and cables, or adding tamper-evident security. There's even non-laminated fabric iron-on tape for labeling uniforms, linens, and more. The split back tapes allow for hassle free application.



Better performing labels by design

The PT-P700 uses tapes from our best-selling TZe laminated tape family. Text and images printed on TZe tape are protected by a thin, clear film to withstand water, grease, fading, abrasion, heat, cold, and demanding outdoor environments.



Standard Adhesive Laminated Tapes:

Standard Adhesive Laminated Tapes stick to virtually any surface and are great for most applications, indoors and out.

TZe-111	6mm (0.23") x 8m (26.2 ft) Black on Clear tape
TZe-211	6mm (0.23") x 8m (26.2 ft) Black on White tape
TZe-315	6mm (0.23") x 8m (26.2 ft) White on Black tape
TZe-121	9mm (0.35") x 8m (26.2 ft) Black on Clear tape
TZe-221	9mm (0.35") x 8m (26.2 ft) Black on White tape
TZe-325	9mm (0.35") x 8m (26.2 ft) White on Black tape
TZe-421	9mm (0.35") x 8m (26.2 ft) Black on Red tape
TZe-131	12mm (0.47") x 8m (26.2 ft) Black on Clear tape
TZe-135	12mm (0.47") x 8m (26.2 ft) White on Clear tape
TZe-231	12mm (0.47") x 8m (26.2 ft) Black on White tape
TZe-232	12mm (0.47") x 8m (26.2 ft) Red on White tape
TZe-334	12mm (0.47") x 8m (26.2 ft) Gold on Black tape
TZe-335	12mm (0.47") x 8m (26.2 ft) White on Black tape
TZe-631	12mm (0.47") x 8m (26.2 ft) Black on Yellow tape
TZe-141	18mm (0.7") x 8m (26.2 ft) Black on Clear tape
TZe-145	18mm (0.7") x 8m (26.2 ft) White on Clear tape
TZe-241	18mm (0.7") x 8m (26.2 ft) Black on White tape
TZe-242	18mm (0.7") x 8m (26.2 ft) Red on White tape
TZe-243	18mm (0.7") x 8m (26.2 ft) Blue on White tape
TZe-344	18mm (0.7") x 8m (26.2 ft) Gold on Black tape
TZe-345	18mm (0.7") x 8m (26.2 ft) White on Black tape
TZe-441	18mm (0.7") x 8m (26.2 ft) Black on Red tape
TZe-541	18mm (0.7") x 8m (26.2 ft) Black on Blue tape
TZe-545	18mm (0.7") x 8m (26.2 ft) White on Blue tape
TZe-641	18mm (0.7") x 8m (26.2 ft) Black on Yellow tape
TZe-741	18mm (0.7") x 8m (26.2 ft) Black on Green tape
TZe-B41	18mm (0.7") x 5m (16.4 ft) Black on Fluorescent Orange tape
TZe-151	24mm (0.94") x 8m (26.2 ft) Black on Clear tape
TZe-251	24mm (0.94") x 8m (26.2 ft) Black on White tape
TZe-252	24mm (0.94") x 8m (26.2 ft) Red on White tape
TZe-354	24mm (0.94") x 8m (26.2 ft) Gold on Black tape
TZe-355	24mm (0.94") x 8m (26.2 ft) White on Black tape
TZe-451	24mm (0.94") x 8m (26.2 ft) Black on Red tape
TZe-651	24mm (0.94") x 8m (26.2 ft) Black on Yellow tape
TZe-B51	24mm (0.94") x 5m (16.4 ft) Black on Fluorescent Orange tape

Simply Stylish Laminated Tapes:

These brightly colored tapes give labeling projects extra flair.

TZe-MQ835	12mm (0.47") x 5m (16.4 ft) White on Satin Gold tape
TZe-MQ934	12mm (0.47") x 5m (16.4 ft) Gold on Satin Silver tape
TZe-MQG35	12mm (0.47") x 5m (16.4 ft) White on Lime Green tape
TZe-MQP35	12mm (0.47") x 5m (16.4 ft) White on Berry Pink tape

Iron-on Fabric Tape:

This tape can be adhered by ironing.

TZe-FA3	12mm (0.47") x 3m (9.8 ft) Navy Blue on White Fabric tape
----------------	-----------------------------------------------------------

Extra-Strength Laminated Tapes:

These tapes have stronger adhesion strengths than standard adhesive tapes, making them ideal for uneven and rough-textured surfaces, slippery painted metal and plastic surfaces and surfaces exposed to harsh environments.

TZe-S211	6mm (0.23") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S121	9mm (0.35") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S221	9mm (0.35") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S621	9mm (0.35") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S131	12mm (0.47") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S135	12mm (0.47") x 8m (26.2 ft) White on Clear Tape, Extra Strength Adhesive
TZe-S231	12mm (0.47") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S631	12mm (0.47") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S141	18mm (0.7") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S241	18mm (0.7") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S641	18mm (0.7") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S941	18mm (0.7") x 8m (26.2 ft) Black on Matte Silver Tape, Extra Strength Adhesive
TZe-S151	24mm (0.94") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S251	24mm (0.94") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S651	24mm (0.94") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S951	24mm (0.94") x 8m (26.2 ft) Black on Matte Silver Tape, Extra Strength Adhesive

Wire and Cable Laminated Tapes:

This tape offers labeling solutions for textured surfaces, rounded edges, electrical wiring and audio/visual cables.

TZe-FX231	12mm (0.47") x 8m (26.2 ft) Black on White Flexible ID tape
TZe-FX631	12mm (0.47") x 8m (26.2 ft) Black on Yellow Flexible ID tape
TZe-FX241	18mm (0.7") x 8m (26.2 ft) Black on White Flexible ID tape
TZe-FX251	24mm (0.94") x 8m (26.2 ft) Black on White Flexible ID tape
TZe-FX651	24mm (0.94") x 8m (26.2 ft) Black on Yellow Flexible ID tape

Tamper-Evident Laminated Tape:

This tape features a special tell-tale adhesive. If the label is removed, a checkerboard pattern will be left behind. Great for asset management.

TZe-SE4	18mm (0.7") x 8m (26.2 ft) Black on White Security tape
----------------	---------------------------------------------------------

Acid-Free Photo Safe Tapes[^]:

Acid-free adhesive laminated tapes are safe for photo-labeling, scrapbooking and other photo-sensitive materials.

TZe-AF131	12mm (0.47") x 8m (26.2 ft) Black on Clear Acid Free Tape
TZe-AF231	12mm (0.47") x 8m (26.2 ft) Black on White Acid Free Tape

Super Narrow Tape:

This non-laminated tape is perfect for labeling CD case spines and other narrow spaces.

TZe-N201	3.5mm (0.13") x 8m (26.2 ft) Black on White Non-Laminated tape
-----------------	----------------------------------------------------------------

Look for: **TZe TAPE**

[^] Claims that adhesive is "acid-free" and/or "photo-safe" are based upon: 1. Satisfactory test results obtained from Photographic Activity Tests per ISO14523 and non-acidic pH tests per TAPPI 509; 2. Certifications from material manufacturers; and 3. Atomic scans of adhesive following removal of backing paper.

Images are for illustrative purposes only. Actual output (such as font and margins) may vary. All trademarks referenced herein are the property of their respective companies. Windows Vista, Windows and the Windows logo are trademarks of Microsoft Corporation in the United States and/or other countries. Mac OS, the Mac logo and OS X are trademarks of Apple Inc. registered in the U.S. and other countries. All specifications subject to change without notice.